



Installation Instructions

Rear Fender Flare

SKU: JK1005

2007-2016 Jeep JK 4 Door

SAFETY

Your safety and the safety of others is very important.

- In order to help you make informed decisions about safety, we have provided installation instructions and other information.
- These instructions alert you to potential hazards that could hurt you or others.
- Please do a job safety analysis (JSA) before each task to identify potential hazards for your situation and remove/protect against them.
- You must use your own good judgment, and take your time.

Read and understand all safety precautions and instructions before installing this product.

THIS PRODUCT IS FOR OFFROAD USE ONLY. ALL LIABILITY FOR INSTALLATION AND USE RESTS WITH THE OWNER.

CARELESS INSTALLATION AND OPERATION CAN RESULT IN SERIOUS INJURY OR EQUIPMENT DAMAGE.

Injury hazard

Failure to observe these instructions could lead to severe injury or death.

- Always** remove jewelry and wear eye protection.
- Always** use appropriate and adequate care in lifting components into place.
- Always** insure components will remain secure during installation and operation.
- Always** wear safety glasses when installing this kit
- Always** use extreme caution when cutting and trimming during fitting.
- Always** tighten all nuts and bolts securely per installation instructions.
- Always** perform regular inspections and maintenance on mounts and related hardware.





Installation Instructions

Rear Fender Flare

SKU: JK1005

2007-2016 Jeep JK 4 Door

Overview

Congratulations on your new purchase of the rear fender flare assembly.

Your flares were designed in 3-D from digitized data, CNC laser cut, fabricated, and powder coated... all in the U.S.A. Enjoy the fit and finish of a quality rear fender flare from Fab Fours, Inc.





Installation Instructions

Rear Fender Flare

SKU: JK1005


2007-2016 Jeep JK 4 Door

I. Tools Required

- Allen wrenches

II. Installation

1. Start by removing fender skin. You can do this by removing bolts shown below.



2. Next place fender flare on fender, lining up mounting holes. Start by re-installing the three short bolts to hold flare in place.

3. Next re-install remaining hardware. Once all hardware is installed you can now tighten all the hardware, securing the flare to vehicle.





Installation Instructions

Rear Fender Flare

SKU: JK1005

2007-2016 Jeep JK 4 Door

III. Maintenance/Care

- Periodically check and tighten all nuts.
- Stripped, fractured, or bent bolts or nuts need to be replaced.

IV. Contact Information

Fab Fours Inc.
2213 Industrial Park Road
Lancaster, SC 29720

Phone (866)-385-1905
Fax (970)-385-1914
Email Support@fabfours.com



More than expected... Better than expected.

